

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"5950194".pn. and (select\$4 same search\$4 same term\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/06 14:09
L2	2	"6865710".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/10 11:06
L3	4	1 or 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/10 11:06
S1	1178	(select\$3 choos\$3) near5 (search\$3 quer\$3) near5 (term\$1 text\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/10 11:06
S2	64	activat\$3 near5 (search\$4 quer\$3) near5 (term\$1 text\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/11 08:37
S3	29	((select\$3 choos\$3) near5 (search\$3 quer\$3) near5 (term\$1 text\$1)) and (activat\$3 near5 (search\$4 quer\$3) near5 (term\$1 text\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/11 08:38
S4	23	((select\$3 choos\$3) near5 (search\$3 quer\$3) near5 (term\$1 text\$1)) and (activat\$3 near5 (search\$4 quer\$3) near5 (term\$1 text\$1))) and (perform\$3 near5 search\$4) and result\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/11 08:39
S5	21	((select\$3 choos\$3) near5 (search\$3 quer\$3) near5 (term\$1 text\$1)) and (activat\$3 near5 (search\$4 quer\$3) near5 (term\$1 text\$1))) and (perform\$3 near5 search\$4) and (search\$3 near5 result\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/11 09:10

EAST Search History

S6	2	"5905863".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/11 09:47
S7	2	"6338059".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/11 09:47
S8	1	"6338059".pn. and (select\$4 near5 search\$4 near5 term\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/11 09:47
S9	2	"6338059".pn. and (select\$4 near3 search\$3 near4 engine\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/02 15:49
S10	0	"6338059".pn. and (stor\$4 near3 search\$3 near4 result\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/02 15:49
S11	0	"6338059".pn. and (sav\$4 near3 search\$3 near4 result\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/02 15:49
S12	0	"6338059".pn. and (sav\$4 near7 search\$3 near4 result\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/02 15:49
S13	0	"6338059".pn. and (stor\$4 near8 search\$3 near4 result\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/02 16:11
S14	0	serach\$3 near5 data\$1 near5 without near5 input\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/02 16:12
S15	7	search\$3 near5 data\$1 near5 without near5 user near5 input\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/02 16:13

EAST Search History

S16	36	search\$3 near5 data\$1 near5 without near5 input\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/02 16:14
S17	764	auto\$4 near5 search\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/02 16:34
S18	12	(auto\$4 near5 search\$3) and (without near5 user\$3 near5 input\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/04 15:50
S19	0	(auto\$4 near5 search\$3) same (without near5 user\$3 near5 input\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/02 16:32
S20	28	(auto\$4 near5 search\$3) and (cach\$3 near5 result\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/02 16:33
S21	40	(auto\$4 near5 search\$3) and (select\$3 near5 term\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/02 16:35
S22	1	(auto\$4 near5 search\$3) same (select\$3 near5 term\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/02 16:35
S23	2	"20020188603"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/02 17:11
S24	38926	search\$4 near5 ((word near3 processor) (spreadsheet) (database) (image near3 processor) (web near3 browser) (email))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/02 17:13
S25	1	search\$4 near5 (on from) near5 ((word near3 processor) (spreadsheet) (database) (image near3 processor) (web near3 browser) (email))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/02 17:14

EAST Search History

S26	3	search\$4 near7 (on from) near7 ((word near3 processor) (spreadsheet) (database) (image near3 processor) (web near3 browser) (email))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/02 17:14
S27	3041	(select\$3 choos\$3) near5 (search\$3 quer\$3) near5 (term\$1 text\$1 input\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/05 16:05
S28	11	((select\$3 choos\$3) near5 (search\$3 quer\$3) near5 (term\$1 text\$1 input\$4)) same (first\$4 near5 application\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/05 15:59
S29	1905092	1and (first\$4 near5 application\$4 near\$4 search\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/05 16:00
S30	2946	((select\$3 choos\$3) near5 (search\$3 quer\$3) near5 (term\$1 text\$1 input\$4)) and (first\$4 near5 application\$4 near\$4 search\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/05 16:00
S31	2634	((select\$3 choos\$3) near5 (search\$3 quer\$3) near5 (term\$1 text\$1 input\$4)) and (second\$4 near5 application\$4 near\$4 result\$4 output\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/05 16:01
S32	2554	((select\$3 choos\$3) near5 (search\$3 quer\$3) near5 (term\$1 text\$1 input\$4)) and (first\$4 near5 application\$4 near\$4 search\$4)) and (second\$4 near5 application\$4 near\$4 result\$4 output\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/05 16:01
S33	2554	((select\$3 choos\$3) near5 (search\$3 quer\$3) near5 (term\$1 text\$1 input\$4)) and (first\$4 near5 application\$4 near\$4 search\$4)) and (second\$4 near5 application\$4 near\$4 (result\$4 output\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/05 16:02
S34	2008	((select\$3 choos\$3) near5 (search\$3 quer\$3) near5 (term\$1 text\$1 input\$4)) and (first\$4 near5 application\$4 near\$4 search\$4)) and (second\$4 near5 application\$4 near\$4 search\$4 near5 (result\$4 output\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/05 16:03

EAST Search History

S35	2001	(((((select\$3 choos\$3) near5 (search\$3 quer\$3) near5 (term\$1 text\$1 input\$4)) and (first\$4 near5 application\$4 near\$4 search\$4)) and (second\$4 near5 application\$4 near\$4 search\$4 near5 (result\$4 output\$4))) and (first\$4 near5 application\$4 near\$4 search\$4 near5 (result\$4 output\$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/05 16:05
S36	56	(select\$3 choos\$3) near5 (search\$3 quer\$3) near5 (term\$1 text\$1 input\$4) near5 application\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/05 16:14
S37	905	(select\$3 choos\$3) near5 (search\$3 quer\$3) near5 (term\$1 text\$1 input\$4) near5 (text\$4 document\$4 email spreadsheet\$4 word\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/05 16:16
S38	303	((select\$3 choos\$3) near5 (search\$3 quer\$3) near5 (term\$1 text\$1 input\$4) near5 (text\$4 document\$4 email spreadsheet\$4 word\$4)) and (view\$4 preview\$4) near5 (search\$4 term\$4 text keyword\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/05 16:17
S39	71	((select\$3 choos\$3) near5 (search\$3 quer\$3) near5 (term\$1 text\$1 input\$4) near5 (text\$4 document\$4 email spreadsheet\$4 word\$4)) and (view\$4 preview\$4) near5 search\$4 near5 (term\$4 text keyword\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/05 16:17
S40	2	"5950194".pn. and (select\$4 same search\$4 same text\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/06 10:53
S41	2	"5950194".pn. and (search\$4 same text\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/06 10:53
S42	2	"5950194".pn. and (search\$4 near9 text\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/06 11:26

EAST Search History

S43	0	"5950194".pn. and (stor\$4 same result\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/06 13:07
S44	28	search\$4 near3 engin\$4 near5 link\$4 near10 browser\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/06 13:14
S45	587	search\$4 near3 engin\$4 near5 link\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/06 13:19
S46	0	(search\$4 near3 engin\$4 near5 link\$4) and (back near4 gorund near9 search near4 engin\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/06 13:15
S47	0	(search\$4 near3 engin\$4 near5 link\$4) and (back near4 ground near9 search near4 engin\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/06 13:15
S48	0	(search\$4 near3 engin\$4 near5 link\$4) and (back\$4 near4 ground\$4 near9 search\$4 near4 engin\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/06 13:16
S49	583	(search\$4 near3 engin\$4 near5 link\$4) and (link\$4 near6 search\$4 near4 engin\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/06 13:16
S50	1	(back\$4 near4 ground\$4 near9 search\$4 near4 engin\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/06 13:16
S51	8	search\$4 near3 engin\$4 near5 link\$4 near5 application\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/06 13:19
S52	0	(search\$4 near3 engin\$4 near5 link\$4) and (non-browser near5 search\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/06 13:20

EAST Search History

S53	0	(search\$4 near3 engin\$4 near5 link\$4) and (non\$4 near5 brows\$4 near5 search\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/06 13:21
S54	0	((non\$4 near5 brows\$4 near5 search\$4)) and (link\$4 near5 browser\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/06 13:22
S55	29	(non\$4 near5 brows\$4 near5 search\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/06 13:24
S56	2	"6263332".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/06 13:56
S57	4961	search\$4 near5 interface\$4 near5 on near3 application\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/06 13:58
S58	0	search\$4 near5 interface\$4 near5 on near3 application\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/06 13:58
S59	256	search\$4 near5 interface\$4 near5 application\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/06 14:07
S60	1590	(select\$4 highlight\$4) near5 (text\$4 term\$4) near5 search\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/06 14:08
S61	63	((select\$4 highlight\$4) near5 (text\$4 term\$4) near5 search\$4) and (link\$ near5 search\$ near5 engin\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/06 14:17
S62	18041	browsing application	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/06 14:17

EAST Search History

S63	0	browsing near3 application	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/06 14:17
S64	1232	browsing near3 application	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/06 14:18
S65	0	search44 near3 browsing near3 application	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/06 14:18
S66	41	search\$4 near3 browsing near3 application	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/06 14:19
S67	2871	search\$4 near3 brows\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/06 14:19
S68	1366	search\$4 near3 browser	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/06 14:21
S69	410	search\$4 near3 engin\$4 near3 browser	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/06 14:22
S70	97	(auto\$5 near5 search\$3) and (without near5 user\$3 near5 input\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/04 15:51
S71	413	cach\$4 near5 search\$4 near5 (result\$4 output\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 19:02
S72	61913	(word\$3 keyword\$4) near5 select\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 13:47

EAST Search History

S73	354139	(word\$3 keyword\$4) near5 quer\$4 search\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 13:48
S74	12514	((word\$3 keyword\$4) near5 select\$3) and ((word\$3 keyword\$4) near5 quer\$4 search\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 13:48
S75	18340	(word\$3 keyword\$4) near5 (quer\$4 search\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 13:48
S76	5037	((word\$3 keyword\$4) near5 select\$3) and ((word\$3 keyword\$4) near5 (quer\$4 search\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 13:48
S77	1857	select\$4 near5 (word\$3 keyword\$4) near5 (quer\$4 search\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 13:48
S78	1849	((word\$3 keyword\$4) near5 select\$3) and (select\$4 near5 (word\$3 keyword\$4) near5 (quer\$4 search\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 13:49
S79	112	((word\$3 keyword\$4) near5 select\$3) and (select\$4 near5 (word\$3 keyword\$4) near5 (quer\$4 search\$4)) and ((no without\$4) near5 user\$3 near5 (Input typ\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 14:00
S80	154	(automat\$4 auto\$6) near5 (find\$4 select\$4 determin\$4 decid\$4 choos\$4) near5 (search\$4 quer\$4) near5 (term\$4 word\$4 keyword\$3 data text\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 14:27
S81	163383	(without no) near5 user\$4 input\$4 near5 (search\$4 quer\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 14:13
S82	148	(without no) near5 user\$4 near5 input\$4 near5 (search\$4 quer\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 16:14

EAST Search History

S83	40	(automat\$4 auto\$6) near5 (extract\$) near5 (search\$4 quer\$4) near5 (term\$4 word\$4 keyword\$3 data text\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 14:28
S84	75	without near5 user\$3 near5 input\$3 near5 (search\$4 quer\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/06 09:36
S85	6	auto\$3 near5 search\$4 near5 (term\$3 input\$4) near5 (select\$4 extract\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/06 10:00
S86	2844	search\$4 near5 (term\$3 input\$4) near5 (select\$4 extract\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/06 10:04
S87	928	(search\$4 near5 (term\$3 input\$4) near5 (select\$4 extract\$4)) near5 (data information docunemtn\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/06 10:02
S88	1084	(search\$4 near5 (term\$3 input\$4) near5 (select\$4 extract\$4)) near5 (data information document\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/06 10:03
S89	0	(search\$4 near5 (term\$3 input\$4) near5 (select\$4 extract\$4)) near5 from near5 (data information document\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/06 10:03
S90	0	search\$4 near5 (term\$3 input\$4) near5 (select\$4 extract\$4) near5 from near5 (document data information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/06 10:04
S91	1084	search\$4 near5 (term\$3 input\$4) near5 (select\$4 extract\$4) near5 (document data information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/06 11:11
S92	2	"6205472".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/06 10:11

EAST Search History

S93	0	(search\$4 near5 (term\$3 input\$4) near5 (select\$4 extract\$4) near5 (document data information)) and 707/*	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/06 11:20
S94	0	(search\$4 near5 (term\$3 input\$4) near5 (select\$4 extract\$4) near5 (document data information)) and 707/*	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/06 14:30
S95	1084	(search\$4 near5 (term\$3 input\$4) near5 (select\$4 extract\$4) near5 (document data information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/06 11:21
S96	0	((search\$4 near5 (term\$3 input\$4) near5 (select\$4 extract\$4) near5 (document data information))) and (707/*. CCLS.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/06 11:21
S97	272	((search\$4 near5 (term\$3 input\$4) near5 (select\$4 extract\$4) near5 (document data information))) and ("707"/.CCLS.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/06 14:25
S98	272	(((search\$4 near5 (term\$3 input\$4) near5 (select\$4 extract\$4) near5 (document data information))) and ("707"/.CCLS.)) and ((search\$4 quer\$4) near5 (term\$3 input\$4 word\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/06 14:26
S99	6	(((search\$4 near5 (term\$3 input\$4) near5 (select\$4 extract\$4) near5 (document data information))) and ("707"/.CCLS.)) and ((search\$4 quer\$4) near5 (term\$3 input\$4 word\$4) near (no without\$4) near4 (input\$3 typ\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/06 14:30
S10 0	22074	((select\$4 extract\$4) near5 (term\$3 word\$3 keyword\$3)near5 (document data information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/06 14:31
S10 1	3818	(((select\$4 extract\$4) near5 (term\$3 word\$3 keyword\$3)near5 (document data information))) and (search\$4 near5 (data word\$3 keyword\$43))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/06 14:32

EAST Search History

S10 2	230	(((select\$4 extract\$4) near5 (term\$3 word\$3 keyword\$3)near5 (document data information))) and (search\$4 near5 (data word\$3 keyword\$43))) and (without no auto\$5) near5 user\$4 near5 (input\$4 action\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/06 15:03
S10 3	22081	(keyword\$4 term\$3 word\$3) near5 (select\$4 extract\$4) near5 (document\$3 data information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/06 15:02
S10 4	23202	(keyword\$4 term\$3 word\$3) near5 (search\$4 quer\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/06 15:02
S10 5	1574	((keyword\$4 term\$3 word\$3) near5 (select\$4 extract\$4) near5 (document\$3 data information)) same (((keyword\$4 term\$3 word\$3) near5 (search\$4 quer\$4))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/06 15:02
S10 6	3383	(extract\$4 select\$4) near5 (keyword\$4 term\$3 word\$3) near5 (search\$4 quer\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/06 15:03
S10 7	1310	((keyword\$4 term\$3 word\$3) near5 (select\$4 extract\$4) near5 (document\$3 data information)) same ((extract\$4 select\$4) near5 (keyword\$4 term\$3 word\$3) near5 (search\$4 quer\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/06 15:03
S10 8	90	(((keyword\$4 term\$3 word\$3) near5 (select\$4 extract\$4) near5 (document\$3 data information)) same ((extract\$4 select\$4) near5 (keyword\$4 term\$3 word\$3) near5 (search\$4 quer\$4))) and (without no auto\$5) near5 user\$4 near5 (input\$4 action\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/06 15:03
S10 9	8	cach\$4 near6 search\$4 near5 (result\$4 output\$4) near5 sav\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 19:03
S11 0	125849	(input\$3 search\$4 term\$4 quer\$4) near5 (databas\$3 internet\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 13:41

EAST Search History

S11 1	5430	S110 and (search\$3 query\$4) near5 (outptu\$3 result\$4) near5 display\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 13:43
S11 2	140	S111 and (search\$3 query\$4) near5 (outptu\$3 result\$4) near5 edit\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 13:43
S11 3	5625	S110 and (search\$3 query\$4) near5 (output\$3 result\$4) near5 display\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 13:43
S11 4	143	S113 and (search\$3 query\$4) near5 (output\$3 result\$4) near5 edit\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 13:50
S11 5	53	S113 and (search\$3 query\$4) near5 (output\$3 result\$4) near5 cop\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 13:44
S11 6	7	S115 and (search\$3 query\$4) near5 (output\$3 result\$4) near5 delet\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 13:44
S11 7	28	S114 and (mous\$3 near5 display\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/09 13:47
S11 8	387	(search\$3 query\$4) near5 (output\$3 result\$4) near5 edit\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 13:59
S11 9	15	S118 and (search\$3 query\$4) near5 (output\$3 result\$4) near5 cop\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 14:00
S12 0	2	S119 and (search\$3 query\$4) near5 (output\$3 result\$4) near5 (delet\$3 remov\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 13:51

EAST Search History

S12 1	288	(search\$3 query\$4) near5 (output\$3 result\$4) near5 cop\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 14:00
S12 2	18	S121 and (search\$3 query\$4) near5 (output\$3 result\$4) near5 (delet\$3 remov\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 14:00
S12 3	19	S118 and (output\$3 result\$4) near5 cop\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 13:54
S12 4	81	S118 and (output\$3 result\$4) near5 (delet\$3 remov\$3 past\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 13:55
S12 5	4	S123 aND S124	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 14:02
S12 6	98	S118 AND (cop\$4 past\$4 (remov\$4 delet\$3)) near5 (result\$4 output\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 13:58
S12 7	1012	(search\$3 query\$4) near5 (output\$3 result\$4) near5 (edit\$4 modif\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 13:59
S12 8	28	S127 and (search\$3 query\$4) near5 (output\$3 result\$4) near5 cop\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 14:00
S12 9	28	S128 AND (search\$3 query\$4) near5 (output\$3 result\$4) near5 cop\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 14:00
S13 0	6	S128 and (search\$3 query\$4) near5 (output\$3 result\$4) near5 (delet\$3 remov\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 15:07

EAST Search History

S13 1	81	S127 aND S124	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 14:02
S13 2	1363	(search\$4 quer\$4) near3 term\$4 NEAR5 INPUT\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 15:09
S13 3	3	S132 and (search\$3 quer\$3) near5 (result\$4 output\$4) near5 (display\$4 present\$4 represent\$4) near5 mous\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 15:11
S13 4	477	S132 and (search\$3 quer\$3) near5 (result\$4 output\$4) near5 (display\$4 present\$4 represent\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 15:11
S13 5	24	S134 and (mous\$3) near5 over\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 15:11
S13 6	1	edit\$3 near9 result\$4 and "20020073079"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/09 15:20
S13 7	1	edit\$3 same result\$4 and "20020073079"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/09 15:21
S13 8	1	search\$3 same term\$4 and "20020073079"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/09 15:39
S13 9	3154	(select\$3 choos\$3 highlight\$3) near5 (search\$3 quer\$3) near5 (term\$1 text\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 16:14
S14 0	110	S139 and (separat\$3 different\$3 second\$2) near5 (search\$3 quer\$3) near5 application\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 15:35

EAST Search History

S14 1	27	S140 and @ad<"20010101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 16:14
S14 2	1174	1same (separat\$3 different\$3 second\$2) near5 (search\$3 quer\$3) near5 application\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 15:34
S14 3	5	S139 same (separat\$3 different\$3 second\$2) near5 (search\$3 quer\$3) near5 application\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 15:34
S14 4	0	S139 and (without\$2) near5 (show\$3 display\$3 represent\$3) near5 (search\$3 quer\$3) near5 application\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 15:36
S14 5	280	(without no) near5 user\$4 near5 input\$4 near5 (search\$4 quer\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 16:14
S14 6	3154	S139 and (select\$3 choos\$3 highlight\$3) near5 (search\$3 quer\$3) near5 (term\$1 text\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 16:14
S14 7	26	S139 and (without no) near5 user\$4 near5 input\$4 near5 (search\$4 quer\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 16:14
S14 8	26	S147 and (without no) near5 user\$4 near5 input\$4 near5 (search\$4 quer\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 16:14
S14 9	10	S147 and @ad<"20010101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 16:15



Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((different <and> application <and> search <and> copy)<in>metadata)"



Your search matched 5 of 1613146 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)

» Other Resources

(Available For Purchase)

Top Book Results

[Intellectual Property Law for Engineers and Scientists](#)by Rockman, H. B.;
Hardcover, Edition: 1[Meme Media and Meme Market Architectures](#)by Tanaka, Y.;
Hardcover, Edition: 1[View All 2 Result\(s\)](#)

Modify Search

((different <and> application <and> search <and> copy)<in>metadata)

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract☒ view selected items[Select All](#) [Deselect All](#)

» Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

- ☐ 1. **High performance constraint satisfaction problem solving: state-rec state-copying**
 Yang, J.; Goodwin, S.D.;
[High Performance Computing Systems and Applications, 2005. HPCS 2005 Symposium on](#)
 15-18 May 2005 Page(s):117 - 123
 Digital Object Identifier 10.1109/HPCS.2005.30
 AbstractPlus | Full Text: [PDF\(136 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 2. **Phase coupled operation assignment for VLIW processors with distr**
 Bekooij, M.; Jess, J.; van Meerbergen, J.;
[System Synthesis, 2001. Proceedings. The 14th International Symposium](#)
 2001 Page(s):118 - 123
 AbstractPlus | Full Text: [PDF\(504 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 3. **The PAX toolkit and its applications at Tevatron and LHC**
 Kappler, S.; Erdmann, M.; Felzmann, U.; Hirschbuhl, D.; Kirsch, M.; Quas Joanna Weng;
[Nuclear Science, IEEE Transactions on](#)
 Volume 53, Issue 2, April 2006 Page(s):506 - 512
 Digital Object Identifier 10.1109/TNS.2006.870179
 AbstractPlus | Full Text: [PDF\(496 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ 4. **QoS-aware content management in P2P networks**
 Meo, M.; Milan, F.;
[Peer-to-Peer Systems, 2004. International Workshop on Hot Topics in](#)
 8 Oct. 2004 Page(s):48 - 53
 Digital Object Identifier 10.1109/PTPSYS.2004.16
 AbstractPlus | Full Text: [PDF\(152 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 5. **Design and performance of a general-purpose software cache**
 Iyengar, A.;
[Performance, Computing and Communications Conference, 1999. IPCCC International](#)
 10-12 Feb. 1999 Page(s):329 - 336
 Digital Object Identifier 10.1109/PCCC.1999.749456
 AbstractPlus | Full Text: [PDF\(692 KB\)](#) IEEE CNF
[Rights and Permissions](#)

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alt](#)

Welcome United States Patent and Trademark Office

[Search Results](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)Results for "((different <and> application <and> search <and> copy <and> mouse)<in>..." 

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

 Sea☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding


IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need ass search.

Indexed by

[Help](#) [Contact Us](#) [Priva](#)

© Copyright 2006 IE

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alt](#)

Welcome United States Patent and Trademark Office

[Search Results](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)Results for "((different <and> application <and> search <and> copy <and> mouse <and>..." 


Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

 ☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract


» Key

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance.

Indexed by

[Help](#) [Contact Us](#) [Privacy](#)

© Copyright 2006 IEEE

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▼](#)[Sign in](#)[Google](#)

different application search copy mouse

Search

[Advanced Search](#)
[Preferences](#)**Web Results 1 - 10** of about **1,780,000 English** pages for **different application search copy mouse**. (0.16**Windows Keyboard Shortcut of the Day » Copy and Paste without a ...**

Posted in **Applications** by estephen on the March 9th, 2007 ... One Response to 'Copy and Paste without a mouse, putting it all together' ...

www.zeigen.com/shortcuts/2007/03/09/copy-and-paste-steps/ - 17k -

[Cached](#) - [Similar pages](#)

Windows Keyboard Shortcut of the Day » Applications

Copy and Paste without a **mouse**, putting it all together ... You've just copied and pasted text between two **different applications** without using the **mouse**. ...

www.zeigen.com/shortcuts/category/applications/ - 46k - [Cached](#) - [Similar pages](#)

[[More results from www.zeigen.com](#)]

Job Applicant FAQ

How do I edit my online **application**? 16. I have used the **search** feature and To **copy** and paste one section of your document at a time use your **mouse** to ...

erecruit.per.state.vt.us/applicant_faq.html - 17k - [Cached](#) - [Similar pages](#)

MacintoshOS.com Shareware Library: Search Results.

With ClickCopy installed in your system, you can **copy** the file from the source ... to a **different application**, wishing to yourself that you could **copy** 5-10 ...

[www.macintoshos.com/cgi-bin/database/textdb.cgi?](http://www.macintoshos.com/cgi-bin/database/textdb.cgi?db=default&uid=8737.98193485419596&Category=Syste...)

[db=default&uid=8737.98193485419596&Category=Syste...](http://www.macintoshos.com/cgi-bin/database/textdb.cgi?db=default&uid=8737.98193485419596&Category=Syste...) - 43k - [Cached](#) - [Similar pages](#)

SETEL

How to select content to **copy**:. place the **mouse** cursor at the start of the ... Multitask back and forth between **different applications** using the Alt Tab ...

www.setel.com.au/site.php?id=366 - 11k - [Cached](#) - [Similar pages](#)

Computer Keys

When using a **mouse**, the movement of the **mouse** moves the cursor and the input is In windows many people switch between **different applications** they are ...

www.mdx.ac.uk/WWW/STUDY/glokey.htm - 51k - [Cached](#) - [Similar pages](#)

Keyboard Ninja: Launch any Application Without the Mouse :: the ...

The start menu should pop-up and the **search** field will get the keyboard focus. You should be able to type just the first few characters of the **application** ...

www.howtogeek.com/howto/ubuntu/keyboard-ninja-launch-any-application-without-the-mouse/ - 41k - [Cached](#) - [Similar pages](#)

[PDF] Breaking the Copy/Paste Cycle: The Stretchable Selection Tool

File Format: PDF/Adobe Acrobat

The high level of **mouse** activity is further increased when. copying data between overlapped **different application**. The SST permits transparent access ...

ieeexplore.ieee.org/iel5/6659/17796/00822057.pdf?arnumber=822057 - [Similar pages](#)

When is software done? - Linux Forums

search "as you type", fast in-place **search**. preserve dates on **copy**, move ... Basic functions are done through the **application**, while other through the ...

www.linuxforums.org/misc/when_is_software_done.html - 40k - [Cached](#) - [Similar pages](#)

ebrary Help and Support

You may, however, enter a **different search** term by overwriting the text in ... **copy** and paste text into Word, email, or any text **application** complete with ...

shop.ebrary.com/support/2_infotools00.jsp - 39k - [Cached](#) - [Similar pages](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▼](#)

[Sign in](#)

Google

different application search copy mouse port

Search

[Advanced Search](#)
[Preferences](#)

Web Results 1 - 10 of about **491,000** English pages for **different application search copy mouse portion**

Did you mean: [different application search copy mouse **position** paste](#)

CSS: Unix: Using X-Window - College of Engineering, The University ...

One feature of Unix windows is the ability to **copy** and **paste** text from one place You can open **different** windows or run **different applications** in each ...

www.icaen.uiowa.edu/tools/etudes/unix_xwindow.html - 16k - [Cached](#) - [Similar pages](#)

Copy & Paste Text

Note: To keep the left-click versus right-click **mouse** buttons clear in your mind ... For example, **copy/paste** a section of text and open another **application**, ...

www.dwrightblackburn.com/copy.htm - 19k - [Cached](#) - [Similar pages](#)

Welcome to janabhaaratii Project Website

The Text Editor **application** needs to implement **different** text editing ... Popup facility like Undo, cut, **copy**, **paste**, delete, select all are also available ...

[www.janabhaaratii.org.in/.../papers/TextEditor_](http://www.janabhaaratii.org.in/.../papers/TextEditor_Article.html&PHPSESSID=4f39b957c7ea40de095c70c7cb83881a)

[Article.html&PHPSESSID=4f39b957c7ea40de095c70c7cb83881a](http://www.janabhaaratii.org.in/.../papers/TextEditor_Article.html&PHPSESSID=4f39b957c7ea40de095c70c7cb83881a) - 28k -

[Cached](#) - [Similar pages](#)

Copy Paste with middle mouse button

This will **copy** the text to the clipboard. The next click of the middle **mouse** button would **paste** the text if the **application** allows it. ...

www.ghacks.net/2006/09/11/copy-paste-with-middle-mouse-button/ - 29k -

[Cached](#) - [Similar pages](#)

E

Note: Options vary with **different** paint **applications**. ... Create borders (line fills); Cut, **copy**, **paste** **portion(s)** of painting; Use special tools options- ...

www.frsd.k12.nj.us/edtech/training/levels.htm - 28k - [Cached](#) - [Similar pages](#)

Computer Keys

To block, you select a **portion** of your text using the **mouse** or keystrokes. In windows many people switch between **different applications** they are ...

www.mdx.ac.uk/WWW/STUDY/glokey.htm - 51k - [Cached](#) - [Similar pages](#)

Method and system for improving selection capability for user ...

The method of claim 7, wherein the highlighted first **portion** is displayed in a within the same **application** and also across **different applications**. ...

www.freepatentsonline.com/20070022386.html - 40k - [Cached](#) - [Similar pages](#)

Intelligent copy and paste operations for application handling ...

The **copy** and **paste** function is generally known from the **applications** available in ... Computer (PC) having a full keypad and a **mouse** for moving the cursor. ...

www.freepatentsonline.com/6309305.html - 54k - [Cached](#) - [Similar pages](#)

[[More results from www.freepatentsonline.com](http://www.freepatentsonline.com)]

How do I print just portions of an email or web page? - Ask Leo!

Without "Print Selection", there are two basic approaches: printing specific pages, or **copy/pasting** what you want to a **different application** to print. ...

ask-leo.com/how_do_i_print_just_portions_of_an_email_or_web_page.html - 32k -

[Cached](#) - [Similar pages](#)

Shortcuts and Tips — Catalyst



[Subscribe](#) (Full Service) [Register](#) (Limited Service, Free) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide



Nothing Found

Your search for **+abstract:different +abstract:application +abstract:search +abstract:copy +abstract:paste** did not return any results.

You may want to try an [Advanced Search](#) for additional options.

Please review the [Quick Tips](#) below or for more information see the [Search Tips](#).

Quick Tips

- Enter your search terms in lower case with a space between the terms.

sales offices

You can also enter a full question or concept in plain language.

Where are the sales offices?

- Capitalize proper nouns to search for specific people, places, or products.

John Colter, Netscape Navigator

- Enclose a phrase in double quotes to search for that exact phrase.

"museum of natural history" "museum of modern art"

- Narrow your searches by using a **+** if a search term must appear on a page.

museum +art

- Exclude pages by using a **-** if a search term must not appear on a page.

museum -Paris

Combine these techniques to create a specific search query. The better your description of the information you want, the more relevant your results will be.

museum +"natural history" dinosaur -Chicago

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:



[Adobe Acrobat](#)



[QuickTime](#)



[Windows Media Player](#)



[Real Player](#)



[Subscribe](#) (Full Service) [Register](#) (Limited Service, Free) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

[+abstract:different +abstract:application +abstract:search +al](#)



Nothing Found

Your search for **+abstract:different +abstract:application +abstract:search +abstract:copy +abstract:mouse** did not return any results.

You may want to try an [Advanced Search](#) for additional options.

Please review the [Quick Tips](#) below or for more information see the [Search Tips](#).

Quick Tips

- Enter your search terms in lower case with a space between the terms.

sales offices

You can also enter a full question or concept in plain language.

Where are the sales offices?

- Capitalize proper nouns to search for specific people, places, or products.

John Colter, Netscape Navigator

- Enclose a phrase in double quotes to search for that exact phrase.

"museum of natural history" "museum of modern art"

- Narrow your searches by using a **+** if a search term must appear on a page.

museum +art

- Exclude pages by using a **-** if a search term must not appear on a page.

museum -Paris

Combine these techniques to create a specific search query. The better your description of the information you want, the more relevant your results will be.

museum +"natural history" dinosaur -Chicago

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads: [Adobe Acrobat](#) [QuickTime](#) [Windows Media Player](#) [Real Player](#)